

Caliber	Bullet Weight	Powder Brand	Powder Type	Powder Charge	Velocity	OAL
9MM	124	Vihtavouri	3N37	6	1150	1,03
40 S&W	150	Vihtavouri	3N37	7	1200	
223	79	Hodgdon	H4895	23,2	2730	2,24
308	175	Hodgdon	H4895	40,9	2590	2,8
30-06	175	Hodgdon	H4895	45	2450	3,3
300 Win Mag	175	Hodgdon	H1000	79	3000	3,34
300 Win Mag	200	Hodgdon	H1000	75,3	2875	3,34
300 Win Mag	200	Hodgdon	Hybrid 100V	66,5	2875	3,34
300 WSM	175	Hodgdon	Hybrid 100V	64		2,86

### 30-06 Springfield

Bullet Diameter	Bullet Weight	BC	Twist
0,31	175	0,5	9,10,11
Distance (yards)	Velocity	Energy	Drop from boreline
0	2450	2332	0
50	2365	2172	-0,7
100	2281	2022	-3
150	2199	1879	-7
200	2119	1745	-12,7
250	2041	1619	-20,4
300	1965	1500	-30,1
350	1890	1388	-42,1
400	1817	1283	-56,6
450	1746	1185	-73,7

500	1677	1092	-93,6
550	1610	1007	-116,6
600	1546	929	-143
650	1485	857	-172,9
700	1426	790	-206,9
750	1370	729	-245,1
800	1318	675	-287,9
850	1269	626	-335,7
900	1224	582	-389
950	1182	543	-448
1000	1145	509	-513,2

### **.300 Winchester Magnum**

<b>Bullet Diameter</b>	<b>Bullet Weight</b>	<b>BC</b>	<b>Twist</b>
0,31	175	0,5	9,10,11
<b>Distance (yards)</b>	<b>Velocity</b>	<b>Energy</b>	<b>Drop from boreline</b>
0	2875	3670	0
50	2795	3469	-0,5
100	2717	3277	-2,2
150	2640	3094	-5
200	2564	2919	-9
250	2490	2753	-14,4
300	2417	2593	-21,2
350	2345	2441	-29,5
400	2274	2296	-39,3
450	2205	2158	-50,8
500	2136	2027	-64,2
550	2070	1902	-79,4

600	2004	1783	-96,6
650	1940	1671	-116
700	1877	1564	-137,7
750	1815	1463	-161,9
800	1755	1367	-188,7
850	1695	1276	-218,4
900	1638	1191	-251
950	1582	1112	-287
1000	1529	1038	-326,3

### **.300 Winchester Magnum**

<b>Bullet Diameter</b>	<b>Bullet Weight</b>	<b>BC</b>	<b>Twist</b>
0,31	200	0,59	9,10,11
<b>Distance (yards)</b>	<b>Velocity</b>	<b>Energy</b>	<b>Drop from boreline</b>
0	2875	3670	0
50	2795	3469	-0,5
100	2717	3277	-2,2
150	2640	3094	-5
200	2564	2919	-9
250	2490	2753	-14,4
300	2417	2593	-21,2
350	2345	2441	-29,5
400	2274	2296	-39,3
450	2205	2158	-50,8
500	2136	2027	-64,2
550	2070	1902	-79,4
600	2004	1783	-96,6
650	1940	1671	-116
700	1877	1564	-137,7
750	1815	1463	-161,9
800	1755	1367	-188,7

850	1695	1276	-218,4
900	1638	1191	-251
950	1582	1112	-287
1000	1529	1038	-326,3

**.308 Winchester**

<b>Bullet Diameter</b>	<b>Bullet Weight</b>	<b>BC</b>	<b>Twist</b>
0,31	175	0,5	9,10,11
<b>Distance (yards)</b>	<b>Velocity</b>	<b>Energy</b>	<b>Drop from boreline</b>
0	2600	2626	0
50	2512	2452	-0,6
100	2426	2286	-2,7
150	2341	2129	-6,2
200	2258	1980	-11,2
250	2176	1840	-18
300	2097	1708	-26,6
350	2019	1584	-37,2
400	1944	1467	-50
450	1869	1358	-65
500	1797	1255	-82,5
550	1726	1158	-102,7
600	1658	1068	-125,8
650	1592	984	-152,1
700	1529	908	-181,8
750	1468	837	-215,2
800	1410	772	-252,7
850	1355	713	-294,5
900	1304	660	-341
950	1256	613	-392,7
1000	1212	571	-449,9